SPSS 15



Data View (first time only, thereafter in whichever view last used)

🚰 Untit	led1 [DataSe	et0] - SPSS I	Data Editor										
<u>File E</u> dit	⊻iew <u>D</u> ata	<u>T</u> ransform <u>A</u>	<u>A</u> nalyze <u>G</u> rapl	hs <u>U</u> tilities ⊻	<u>V</u> indow <u>H</u> elp								
😕 🖬 🖶 🐡 🗯 🕼 捕 🏦 🏙 🗰 🧮 🕸 💭													
1:	1: Visible: 0 of 0 Va												
	var	var	var	var	var	var	var	var	var	<u> </u>			
1													
2													
3										~			
P \Data View \Variable View /													
SPSS Processor is ready													

PASW 18

# PASW Statistics 18	
PASW Statistics	
What would you like to do?	
© Open an existing data source Vor Files	◯ R <u>u</u> n the tutorial
C: Documents and Settings/D/wner/Desktop/Weebly web	© <u>T</u> ype in data
Open another type of file	◯ <u>R</u> un an existing query
More Files	Create new guery using Database Wizard
Don't show this dialog in the future	OK Cancel

Data View (first time only, thereafter in whichever view last used)

່ 🔝 ບ	ntitle	d1 [Da	taSet0]	- PASW Sta	atistics Da	ata Edit	or						
File	Edit	⊻iew	<u>D</u> ata	<u>T</u> ransform	<u>A</u> nalyze	<u>G</u> raphs	Utilities	Add- <u>o</u> ns	<u>W</u> indow	Help			
6					<u> </u>				*	*5			
											Visib	le:0 of0	Variables
			var	var	va	Ir	var	var		var	var		var
	1												*
	2												~
		4											
Data	View	Varia	ble View										
								PASW Sta	tistics Proc	essor is r	eady		

Variable View

8	Untitl	ed1 [DataSe	t0] - SPSS Date	a Editor								×	
Eile	Elle Edit Yiew Data Transform Analyze Graphs Utilities Window Help												
e	≥ Ц 🚔 🖬 ♦ ♦ ‱ 🖟 ቶ ቶ 🗄 ∰ 標 👫 😵 🔕 ♦												
		Name	Туре	Width	Decimals	Label	Values	Missing	Columns	Align	Measure	^	
	1												
	2												
	3												
	4											~	
•	Data View Variable View												
_	SPSS Processor is ready												

To open a new syntax file, click on:

File

New

Syntax

🔂 Untitled1 [DataSet0] - SPSS	Data I	ditor								_ 🗆 🗙
File Edit View Data Transform	Analyze	e Graphs Utilities	Window Hel	P					Type a ques	tion for help 🛛 👻 🗙
New	E.	Data	h 🖪 🤏	a 🖌 🗌						
Open		Syntax	F				(NZ-04)			
Open Database Road Taxt Data	•	Output Draft Output	L				VISIDI	e. o oro var		
Read Text Data		Script	var	var	var	Var	Var	var 🔨		
Close Ctrl+	F4 L									
Save Ctrl+	°				-				. 10	1 1 12 1 1
Save All Data	-		1					>		
Export to Database	- 1	SPSS Proces	sor is ready					-		
Mark File Read Only	- 1		,							
Rename Dataset										
Display Data File Information	- + I									
Cache Data	- 1									
Stop Processor Ctrl+	·									
Switch Server										
Print Preview										
Print Ctrl+	P									
Recently Used Data	•									
Recently Used Files	- + I									
Evit										
-										
-										
-										
+										
~										
-										-
										*
m										
•										*
										•
Page 1 Sec 1 1/1	At 2.5	icm Ln 1 Col	1 REC T	RK EXT OVR	English (U.K					
🛃 start 🔰 🥢 🟟 🥘	6	🗴 📾 📷 🍲 🛛			w 🖻 🔜 🛪	1 15 X 6) III (@		EN	11:25
										Monday
🔣 4 Microsoft		- 🧐 Sent		🗀 2 Wi		- 🖉 5:		sis an 🔛	Untitled1 [DataSet0]	22/03/2010

screen shot produced with [prt scr]

Variable View



To open a new syntax file, click on:

File

New Syntax



screen shot produced with [ALT][prt scr]

Blank syntax file



Blank syntax file



Comparison of syntax displays





Comparison of output displays

😢 Output1 [Document1] - SPSS Viewer											
Eile Edit View Data Iransform Insert Format Analyze Graphs Wilities Window Help											
ا الم الم الم الم الم الم الم الم الم ال											
<pre>Guput</pre>											
Data List will read 23 records from E:\bsa86.dat											
variable Rec Start End Format											
v1509 15 9 10 F2.0 v1512 15 12 13 F2.0											
SPSS Processor is ready											

🐮 *Output1 [Document1] - PAS	Statistics Viewer											
<u>File Edit ⊻iew Data T</u> ransform	insert Format <u>A</u> nalyze <u>G</u> raphs	Utilities Add-ons W	indow <u>H</u> elp									
😑 🗄 🖨 🔕 🍦) 🛄 🖛 🛥 🧮		📀 🌒 🍹	= 😭 🖻 🔊 🔳								
$ \diamond \diamond \diamond = $												
E Output	TITLE 'Frequen	cies for interv	al variables'.		^							
Page Title	[™] C Page Title [™] Log [™] Frequencies for interval variables											
	DATA LIST FILE = RECORDS /15	'e:bsa86.dat' = 23 v1508 8-9 v151	2 12-13.									
	Data List will read 23	records from E:	\bsa86.dat									
	Variable Rec	Start End	Format									
	v1508 15	8 9	F2.0									
	v1512 15	12 13	F2.0		~							
,				PASW Statistics Processor is read	y C							

Comparison of Data Editor displays

8	📱 "Untitled 2 [] - SPSS Data Editor												
Eile	Elle Edit Yiew Data Transform Analyze Graphs Utilities Window Help												
e	╞╏┇ ♥ ♥ ‱ № ₩ 准直 副型目 ※ � ●												
		Name	Туре	Width	Decimals	Label	Values	Missing	Columns	Align	Measure	74	
	1	v1508	Numeric	2	0	Q105a Person	None	None	7	Right	Scale		
	2	v1512	Numeric	2	0	Q106b Age las	None	99	7	Right	Scale		
	3												
	4											~	
	Data View \Variable View /												
	SPSS Processor is ready Transformations pending												

8	*Untitled2[] - SPSS Data Editor												
Eile	<u>E</u> ile Edit <u>V</u> iew <u>D</u> ata <u>Transform Analyze G</u> raphs <u>U</u> tilities <u>W</u> indow <u>H</u> elp												
ß	ا 🖯	🔒 📴 👈	🔿 🔶 🖿 🖗	み 挿り	🛉 🗄 🤹 🖡	€ % Ø ●							
		Name	Туре	Width	Decimals	Label	Values	Missing	Ţ≏				
	1	v1508	Numeric	2	0	Q105a Persons in household	None	None					
	2	v1512	Numeric	2	0	Q106b Age last birthday	None	99	T				
	3												
	4								-				
	D:	ata View λ <mark>V</mark> a	riable View /			<			>				
				9	PSS Processor is	ready Transformat	ions pending						

🏭 *Untitled	🖁 *Untitled2 [] - PASW Statistics Data Editor												
<u>F</u> ile <u>E</u> dit <u>∨</u> i	iew <u>D</u> ata <u>T</u> ra	ansform <u>A</u> nalyz	e <u>G</u> raphs	Utilities Ac	id- <u>o</u> ns <u>Wi</u> ndow I	Help							
🔁 H 🌒 📖 🖛 🛥 🎬 📥 🗐 🔛 🛄 🔛 🛄 🖓 🐜 🤲													
	Name	Туре	Width	Decimals	Label	Values	Missing	Columns	Align	Measure			
1	v1508	Numeric	2	0	Q105a Persons	None	None	7	·≡ Right	Unknown 🖆			
2	v1512	Numeric	2	0	Q106b Age last	None	99	7	≡ Right	Unknown 📮			
,	4												
Data View Variable View													
	PASW Statistics Processor is ready												

🔢 *Untitled	🏭 *Untitled3 [] - PASW Statistics Data Editor												
<u>File Edit View Data Transform Analyze Graphs Utilities Add-ons Window Help</u>													
😑 🗄 🖨 📖 🗠 🤉 🖺 🎽 🛋 📖 📓 🖛 🐴													
	Name	Туре	Width	Decimals	La	bel	Values	Missing					
1	v1508	Numeric	2	0	Q105a Persons	in househo	ld None	None					
2	v1512	Numeric	2	0	Q106b Age last	birthday	None	99					
2	1							•	Ť				
Data View Variable View													
	PASW Statistics Processor is ready												

🄢 *Untitled	🏭 *Untitled3 [] - PASW Statistics Data Editor													
<u>F</u> ile <u>E</u> dit ⊻	jew <u>D</u> ata	<u>T</u> ransform <u>A</u>	<u>A</u> nalyze <u>G</u> rap	hs <u>U</u> tilities	Add- <u>o</u> ns <u>W</u>	ndow <u>H</u> elp								
2				š 📥		*,	ž 📰 🐴							
1 : v1508	1					Vis	sible: 2 of 2 Variables							
	v1508	v1512	var	var	var	var	var							
1	1	80												
2	3	60												
3	2	52					~							
	4													
Data View	Variable View													
PASW Statistics Processor is ready														

🚰 *Untitled2 [] - SPSS Data Editor										
Eile Edit <u>V</u> iew <u>D</u> ata <u>T</u> ransform <u>A</u> nalyze <u>G</u> raphs <u>U</u> tilities <u>W</u> indow <u>H</u> elp										
🗁 🔒	😕 🔜 📴 🦘 🥐 🐜 🖟 🛤 📲 🏥 🕮 🐺 😵 🔕 🌑									
1 : v1508	1 : v1508 1 Visible: 2 of 2 Va									
	v1508	v1512	var	V? 🔨						
1	1	80								_
2	3	60								
3	2	52								~
Image: A the balance of the bala	Data View / Variable View /									
SPSS Processor is ready										

New automatic colour coding for syntax







e Edit View Dat	ta <u>T</u> ransform <u>A</u> r	ilos Data Edi ialyze Dire	ct <u>M</u> arketing	Graphs Utilities	Add-ons Wi	indow <u>H</u> elp						
🖻 🖩 🍈 Í	🛄 🖛 🛥		- =	M 📓 🕱		🔢 📲 🍳	• •	-				
Name	Туре	Width	Decimal	s Label	Values	Missing	Columns	Align	Measure	Role		
1												
2												
3												
4			_		_							
ata View Variable	View											
									IBI	I SPSS Statistics	s Processor is ready	
BSA89 (UK only mg	other file).sav (Data)	et11 - IBM S	PSS Statisti	s Data Editor								
e Edit View Da	ta Transform Ar	alyze Dire	ct Marketing	Graphs Utilities	Add-ons Wi	indow <u>H</u> elp						
<u>> (</u>		128 🛃	. = 1	h 🖩 🔽	📖 公 🎬							
Name	Type	Width	Decimal	Label	Values	Missing	Columns	Alian	Мозенто	Pole		
1 Serial	Numeric	5	0	Address serial	. None	None	8	≡ Right	✓ Scale	> Input		
2 Area	Numeric	4	0	Area code (Pa.	{1, East Lot.	None	6	≡ Right	🖋 Scale	> Input		
3 Ward	Numeric	4	0	Wards in GB v.	{1, Haddin	None	6	≡ Right	🖋 Scale	> Input		
4 PollDist	Numeric	4	0	Polling District	. {1, ELA1.}	None	10	≡ Right	🖋 Scale	> Input		
5 Version	Numeric	1	0	Questionnaire	. {1, A}	None	9	Right	\delta Nominal	> Input		
🗟 *Syntax1	- IBM SPSS	Statisti	cs Synt	ax Editor					iBi	I SPSS Statistics	s Processor is ready	
*Syntax1 File Edit	- IBM SPSS View Data	Statisti <u>T</u> ran	cs Synt Isform	ax Editor Analyze	Direct Ma	arketing	<u>G</u> raphs	Utilities	Add-ons	<u>R</u> un To	ools Window	• Help
*Syntax1	- IBM SPSS View Data	Statistio <u>T</u> ran	cs Synt Isform	ax Editor Analyze	Direct Ma	arketing	<u>G</u> raphs		Add-ons	<u>R</u> un To	ools Window	E Help
Syntax1 File Edit	- IBM SPSS <u>View D</u> ata	Statisti Tran	cs Synt Isform	ax Editor Analyze	Direct Ma	arketing	<u>G</u> raphs	Utilities	• Add-ons	Run To	ools Window	I Help
Syntax1 File Edit	- IBM SPSS View Data	Statisti a <u>T</u> ran	cs Synt Isform	ax Editor Analyze	Direct Ma	arketing	Graphs	Utilities	• Add-ons	Run To	ools Window	Help
Syntax1 File Edit	- IBM SPSS View Data	Statisti a <u>T</u> ran	cs Synt Isform	ax Editor Analyze	Direct Ma	arketing	Graphs	Utilities	Add-ons	<u>R</u> un To <u>R</u> un To 2 1 1	ools Window	<u>H</u> elp
*Syntax1 File Edit	- IBM SPSS View Data	Statisti a <u>T</u> ran	cs Synt Isform	ax Editor Analyze	Direct Ma	arketing	Graphs	Utilities	 Add-ons Add-ons Ve: DataSe vs: (bsa, 198) 	<u>R</u> un To <u>I</u> 1 36)' .	ool <u>s</u> Window	<u>H</u> elp
Syntax1 File Edit	- IBM SPSS View Data	Statistic <u>T</u> ran	cs Synt Isform	ax Editor Analyze	Direct Ma	arketing	Graphs	Utilities	Add- <u>o</u> ns	<u>R</u> un To <u>I</u> 1 36)' .	ools Window	IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII
*Syntax1 File Edit	- IBM SPSS View Data	Statistic Tran	cs Synt isform	ax Editor Analyze	Direct Ma	arketing	Graphs	Utilities	• Add- <u>o</u> ns • O • • • • • • • • • • • • • • • • • •	<u>R</u> un Tr <u>1</u> <u>1</u> <u>1</u> <u>3</u> <u>6</u>)'.	ools Window	E Help
Syntax1 File Edit File Edit File File requencies requencies	- IBM SPSS View Data (Statisti Tran	cs Synt isform	ax Editor Analyze	Direct Ma	arketing	<u>G</u> raphs	Utilities	Add-ons	Run To	ools <u>Window</u>	I Help
*Syntax1 File Edit	- IBM SPSS View Data	Statisti Tran	cs Synt Isform	ax Editor Analyze	Direct Ma	arketing	Graphs	Utilities	each and the second sec	<u>R</u> un To <u>I</u> 11 v 36)' .	ools Window	I Help
Syntax1 File Edit	- IBM SPSS	Statistia <u>T</u> ran	cs Synt isform	ax Editor Analyze	Direct Ma Direct Ma Directions fr encies fr es v150 nean me	arketing	<u>G</u> raphs	Utilities	ve: DataSe	<u>R</u> un To	ool <u>s</u> Window	<u>H</u> elp
*Syntax1 File Edit File III File IIII File Frequencies requencies	- IBM SPSS View Data	Statistia Tran	cs Synt sform	ax Editor Analyze	Direct Ma	arketing	Graphs	Utilities	ve: DataSe	<u>Run</u> To	ools Window	Help
*Syntax1 File Edit	- IBM SPSS View Date	Statistia	cs Synt Isform	ax Editor Analyze	Direct <u>Ma</u> Direct <u>Ma</u> Pencies fr es v150 nean me s v151 table	arketing	Graphs	Utilities	 Add-ons Add-ons Add-ons Output DataSe Is (bsa, 194) 	<u>R</u> un Tr <u>R</u> un Tr <u>3</u> 6)' .	ools Window	Help
*Syntax1 File Edit	- IBM SPSS	Statistic	cs Synt isform	ax Editor <u>A</u> nalyze <u>A</u> nalyze	Direct Ma Direct Ma Directes for es v150 nean me es v151 table	arketing arketi	Graphs	Utilities	. Add-ons	Run To	ools Window	Help
*Syntax1 File Edit	- IBM SPSS View Data	Statisti 1 Tran	cs Synt sform 1 2 3 4 5 6 7 7 8 9	ax Editor Analyze	Direct Ma	arketing	Graphs	Utilities	ve: DataSe	<u>R</u> un To 360' .	Ools Window	<u>H</u> elp
*Syntax1 File Edit	- IBM SPSS View Data	Statistii Tran	cs Synt sform 1 2 3 4 4 5 6 7 7 8 9 10	ax Editor Analyze	Direct Ma	arketing	<u>G</u> raphs	Utilities	e Add- <u>o</u> ns ve: DataSe vs (bsa, 198	<u>R</u> un Tr <u>1</u> 1 1 1 1 1 1 1 1 1 1 1 1 1	ools Window	
*Syntax1 File Edit	- IBM SPSS	Statistia 1 Trans	cs Synt sform 7 1 2 3 4 4 5 6 6 7 7 8 9 10 11	ax Editor <u>A</u> nalyze <u>A</u> nalyze	Direct Ma	arketing arketing arketing arketing or interva arketing arke	Graphs	Utilities	* Add-ons	<u>Run</u> Tr <u>1</u> 11 - 36)'.	ools Window	
Syntax1 File Edit Edit Edit Frequencies requencies	- IBM SPSS	Statistii Tran	cs Synt isform	ax Editor Analyze A	Direct Ma	arketing arketing arketing arketing or interva arketing arke	Graphs	Utilities	ve: DataSe	<u>R</u> un To 2 36)'.	ool <u>s</u> Window	E Heip
*Syntax1 File Edit	- IBM SPSS View Data	Statisti Tran	cs Synt isform 1 2 3 4 4 5 6 7 7 10 11	ax Editor Analyze A	Direct Ma	arketing	Graphs	Utilities	s (bsa, 194	<u>Run</u> To	ools Window	E Help

	v1508 A105B113A NUMBER IN HOUSEHOLD							
		Frequency	Percent	Valid Percent	Cumulative Percent			
Valid	1	358	11.5	11.5	11.5			
	2	972	31.4	31.4	42.9			
	3	639	20.6	20.6	63.5			
	4	701	22.6	22.6	86.1			
	5	309	10.0	10.0	96.1			
	6	81	2.6	2.6	98.7			
	7	25	.8	.8	99.5			
	8	10	.3	.3	99.8			
	9	2	.1	.1	99.9			
	10	3	.1	.1	100.0			
	Total	3100	100.0	100.0				



Statistics

v1512 A106B114B	RESPONDENTS AGE		
Ν	Valid	3097	
	Missing	3	
Mean		45.23	
Std. Error of Mean		.315	
Median		43.00	
Mode		18 ^a	
Std. Deviation		17.556	
Variance		308.209	
Skewness		.334	
Std. Error of Skew	ness	.044	
Kurtosis		827	
Std. Error of Kurtos	sis	.088	
Range		79	
Minimum		18	
Maximum		97	
Sum		140080	
Percentiles	10	23.00	
	25	31.00	
	75	59.00	
	90	71.00	

a. Multiple modes exist. The smallest value is shown

